

PHILLIPS PRESSURE WASHERS

Engine Driven Pressure Washers

LC -SERIES



GP SERIES



Evolution



Cobra



Delta



Rapier



THOR



Engine Pump Units



Contents



LC-SERIES - direct drive

10 to 16 Lpm - 125 to 200 Bar

p 4



GP-SERIES - direct drive

10 to 13 Lpm - 150 Bar

p 5



Evolution¹ - direct drive

10 to 20 Lpm - 125 to 275 Bar

p 5 - 7



Evolution² - gearbox drive

14 to 21 Lpm - 150 to 250 Bar

p 7 - 8



Evolution³ - gearbox drive

15 to 30 Lpm - 190 to 400 Bar

p 9 - 10



Cobra - direct drive

10 to 16 Lpm - 135 to 250 Bar

p 10 - 11

Contents



Delta - gearbox drive

12 to 15 Lpm - 140 to 250 Bar

p 11 - 12



Rapier heavy duty - gearbox drive

15 to 21 Lpm - 170 to 250 Bar

p 13



THOR heavy duty - gearbox drive

15 to 41 Lpm - 200 to 500 Bar

p 14



DPM Engine Pump Units

12 to 41 Lpm - 130 to 400 Bar

p 14 - 15



Wheelbarrow Tank Pressure Washers

8 Lpm - 150 to 200 Bar

p 15

LC-SERIES - direct drive



PETROL	10	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
LCF10150PLR	Loncin G160	2175	31	£478.38
Dimensions 500L x 370W x 445H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

Powered by
LONCIN



PETROL	12	125
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
LCF12125PLR	Loncin G200	1812	31	£484.18
Dimensions 500L x 370W x 445H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

Powered by
LONCIN



PETROL	10	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
LCT10150PLR	Loncin G160	2175	36	£507.30
Dimensions 650L x 515W x 930H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley with 11" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

Powered by
LONCIN



PETROL	12	125
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
LCT12125PLR	Loncin G200	1812	36	£513.11
Dimensions 650L x 515W x 930H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley with 11" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

Powered by
LONCIN



PETROL	16	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
LCT16200PLR	Loncin G390	2900	60	£796.91
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 58 series pump
- 3400 Rpm direct drive pump
- Interpump controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter

Powered by
LONCIN

GP SERIES - direct drive

PETROL	10 Lpm	150 Bar	Part No.	Engine	PSI	Kg	List
			GF10150PHR	Honda GP160	2175	31	£655.89
Dimensions 500L x 370W x 445H (mm)							

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



PETROL	13 Lpm	150 Bar	Part No.	Engine	PSI	Kg	List
			GF13150PHR	Honda GP200	2175	31	£680.24
Dimensions 500L x 370W x 445H (mm)							

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



PETROL	10 Lpm	150 Bar	Part No.	Engine	PSI	Kg	List
			GT10150PHR	Honda GP160	2175	36	£713.54
Dimensions 635L x 510W x 950H (mm)							

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



PETROL	13 Lpm	150 Bar	Part No.	Engine	PSI	Kg	List
			GT13150PHR	Honda GP200	2175	37	£737.89
Dimensions 635L x 510W x 950H (mm)							

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



Evolution¹ - direct drive

PETROL	10 Lpm	135 Bar	Part No.	Engine	PSI	Kg	List
			E1F10135PHR	Honda GX120	1958	31.2	£728.96
Dimensions 500L x 370W x 445H (mm)							

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



Evolution¹ - direct drive



PETROL	12	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1C12150PHR	Honda GX160	2175	35.5	£812.02
Dimensions 600L x 400W x 410H (mm)				

PETROL	13	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1C13150PHR	Honda GX200	2175	36.5	£836.90
Dimensions 600L x 400W x 410H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated enclosed carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



PETROL	12	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1T12150PHR	Honda GX160	2175	42.8	£832.46
Dimensions 630L x 530W x 810H (mm)				


- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



PETROL	13	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1T13150PHR	Honda GX200	2175	43.8	£857.34
Dimensions 630L x 530W x 810H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter



204-1007
Optional
See Page 16



PETROL	13	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1T13200PHR	Honda GX240	2900	59	£1261.09
Dimensions 800L x 640W x 840H (mm)				

- Interpump 58 series pump
- 3400 Rpm direct drive pump
- Return to head unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1007
Optional
See Page 16



PETROL	15	275
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E1T15275PHR	Honda GX390	3990	65.5	£1422.37
Dimensions 800L x 640W x 840H (mm)				

- Interpump 58 series pump
- 3400 Rpm direct drive pump
- Return to head unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty twin lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter




Evolution¹ - direct drive

PETROL
16 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
E1T16200PHR	Honda GX340	2900	65.5	£1346.85
Dimensions 800L x 640W x 840H (mm)				

- Interpump 58 series pump
- 3400 Rpm direct drive pump
- Return to head unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter




204-1007
Optional
See Page 16



PETROL
20 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
E1T20200PHR	Honda GX390	2900	65.5	£1463.38
Dimensions 800L x 640W x 840H (mm)				

- Interpump 59 series pump
- 3400 Rpm direct drive pump
- Return to head unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1007
Optional
See Page 16



DIESEL
12 Lpm
125 Bar

Part No.	Engine	PSI	Kg	List
E1T12125DYR	Yanmar L48N	1812	48.5	£1693.29
Dimensions 630L x 530W x 810H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



DIESEL
13 Lpm
170 Bar

Part No.	Engine	PSI	Kg	List
E1T13170DYR	Yanmar L70N	2465	69	£2045.98
Dimensions 800L x 640W x 840H (mm)				

- Interpump 58 series pump
- 3400 Rpm direct drive pump
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Mounted on 6 anti-vibration rubbers
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



Evolution² - gearbox drive

PETROL
14 Lpm
150 Bar

Part No.	Engine	PSI	Kg	List
E2C14150PHR	Honda GX200	2175	38.5	£1042.34
Dimensions 600L x 400W x 410H (mm)				

- Interpump 58 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated enclosed carry frame
- Two-piece lance assembly
- 10m high pressure hose
- 3m heavy duty suction hose & filter



Evolution² - gearbox drive



PETROL	14	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E2T14150PHR	Honda GX200	2175	38	£1062.79
Dimensions 630L x 530W x 810H (mm)				

- Interpump 58 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1007
Optional
See Page 16



PETROL	15	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E2T15200PHR	Honda GX340	2900	64.5	£1588.95
Dimensions 800L x 640W x 840H (mm)				

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1007
Optional
See Page 16



PETROL	15	250
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E2T15250PHR	Honda GX390	3626	64.5	£1609.12
Dimensions 800L x 640W x 840H (mm)				

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1007
Optional
See Page 16



PETROL	21	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E2T21200PHR	Honda GX390	2900	64.5	£1600.58
Dimensions 800L x 640W x 840H (mm)				

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



DIESEL	15	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E2T15150DYR	Yanmar L70N	2175	75.5	£2210.91
Dimensions 800L x 640W x 840H (mm)				

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Powder-coated trolley - 13" wheels
- Mounted on 6 anti-vibration rubbers
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



Evolution³ heavy duty - gearbox drive

PETROL	15 Lpm	200 Bar	Part No.	Engine	PSI	Kg	List
			E3T15200PHR	Honda GX340	2900	77	£1849.50
Dimensions 1100L x 620W x 700H (mm)							

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1005
Optional
See Page 16

PETROL	15 Lpm	250 Bar	Part No.	Engine	PSI	Kg	List
			E3T15250PHR	Honda GX390	3625	78.5	£1868.44
Dimensions 1100L x 620W x 700H (mm)							

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1005
Optional
See Page 16

PETROL	21 Lpm	200 Bar	Part No.	Engine	PSI	Kg	List
			E3T21200PHR	Honda GX390	2900	79	£1861.14
Dimensions 1100L x 620W x 700H (mm)							

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter



204-1005
Optional
See Page 16

PETROL	15 Lpm	400 Bar	Part No.	Engine	PSI	Kg	List
			E3T15400PBE	B&S V-Twin	5800	113	£4356.51
Dimensions 1100L x 620W x 790H (mm)							

- Interpump 66HP series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Interpump unloader valve
- Interpump safety valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter

Powered by



PETROL	23 Lpm	250 Bar	Part No.	Engine	PSI	Kg	List
			E3T23250PBE	B&S V-Twin	3625	108.5	£3662.08
Dimensions 1100L x 620W x 790H (mm)							

- Interpump 66HP series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Flow sensitive unloader valve
- Interpump safety valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter

Powered by



204-1005
Optional
See Page 16

Evolution³ heavy duty - gearbox drive



204-1005

Optional
See Page 16

PETROL	30	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E3T30200PBE	B&S V-Twin	2900	108.5	£3662.08

Dimensions 1100L x 620W x 790H (mm)

- Interpump 66 series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Flow sensitive unloader valve
- Fitted with pulsation dampener
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter
- Optional twin outlet kit p/n 204-1015

Powered by



204-1005

Optional
See Page 16

DIESEL	15	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E3T15200DYE	Yanmar L100N	2900	108.5	£3276.17

Dimensions 1100L x 620W x 720H (mm)

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter

Powered by

YANMAR



204-1005

Optional
See Page 16

DIESEL	20	190
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
E3T20190DYE	Yanmar L100N	2755	109.5	£3276.30

Dimensions 1100L x 620W x 720H (mm)

- Interpump 59 series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Return to tank unloader valve
- External chemical injector
- Easy prime ball valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m heavy duty suction hose & filter

Powered by

YANMAR

Cobra - direct drive



PETROL	10	135
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
CF10135PHR	Honda GX120	1958	24	£728.96

Dimensions 500L x 370W x 445H (mm)

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



PETROL	12	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
CF12150PHR	Honda GX160	2175	31	£770.23

Dimensions 580L x 410W x 455H (mm)

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA

Cobra - direct drive

PETROL
12 Lpm
150 Bar

Part No.	Engine	PSI	Kg	List
CT12150PHR	Honda GX160	2175	36	£794.62
Dimensions 635L x 510W x 950H (mm)				

- Interpump 51 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 10" wheels
- Two-piece lance assembly
- 8m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



PETROL
13 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
CT13200PHR	Honda GX240	2900	48	£1226.90
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 63 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



PETROL
16 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
CT16200PHR	Honda GX340	2900	55	£1313.75
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 63 series pump
- 3400 Rpm direct drive pump
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



PETROL
15 Lpm
250 Bar

Part No.	Engine	PSI	Kg	List
CT15250PHR	Honda GX390	3625	60	£1463.93
RTT-C101	Fitted with return to tank bypass			£1437.15
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 44 series pump
- 3400 Rpm direct drive pump
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



Delta - gearbox drive

PETROL
12 Lpm
140 Bar

Part No.	Engine	PSI	Kg	List
DT12140PHR	Honda GX160	2030	43	£1054.46
RTT-D201	Fitted with return to tank bypass			£1027.03
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 44 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter

POWERED by
HONDA



Delta - gearbox drive



PETROL	14	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
DT14150PHR	Honda GX200	2175	43	£1101.51
RTT-D203	Fitted with return to tank bypass			£1074.08
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 44 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter



PETROL	15	200
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
DT15200PHR	Honda GX340	2900	70	£1611.71
RTT-D204	Fitted with return to tank bypass			£1583.52
Dimensions 855L x 625W x 1055H (mm)				


- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter



PETROL	15	250
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
DT15250PHR	Honda GX390	3625	71	£1663.95
RTT-D205	Fitted with return to tank bypass			£1635.76
Dimensions 855L x 625W x 1055H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Interpump controlset with bypass
- Integrated chemical injector
- Powder-coated trolley - 13" wheels
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter



PETROL	14	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
DF14150PHR	Honda GX200	2175	38	£1023.14
Dimensions 580L x 410W x 455H (mm)				

- Interpump 44 series pump
- 1450 Rpm gearbox drive
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated carry frame
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter



PETROL	14	150
	Lpm	Bar

Part No.	Engine	PSI	Kg	List
DS14150PHR	Honda GX200	2175	43	£1184.53
Dimensions 680L x 580W x 820H (mm)				

- Interpump 44 series pump
- 1450 Rpm gearbox drive
- Integrated controlset & bypass
- Integrated chemical injector
- Stainless steel trolley - 10" wheels
- Trolley mount 4L chemical tank
- Two-piece lance assembly
- 10m high pressure hose
- 3m suction hose & filter



Rapier heavy duty - gearbox drive

PETROL
15 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
RT15200PHR	Honda GX340	2900	82	£1915.29
Dimensions 1100L x 620W x 700H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easystart valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter



204-1005

Optional
See Page 16

PETROL
15 Lpm
250 Bar

Part No.	Engine	PSI	Kg	List
RT15250PHR	Honda GX390	3625	82	£1975.49
Dimensions 1100L x 620W x 700H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easystart valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter



204-1005

Optional
See Page 16

PETROL
21 Lpm
170 Bar

Part No.	Engine	PSI	Kg	List
RT21170PHR	Honda GX390	2465	82	£1945.12
Dimensions 1100L x 620W x 700H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Return to tank unloader valve
- External chemical injector
- Easystart valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter



204-1005

Optional
See Page 16

DIESEL
15 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
RT15200DYE	Yanmar L100N	2900	113	£3354.09
Dimensions 1100L x 620W x 720H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Return to tank unloader valve
- External chemical injector
- Easystart valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter



204-1005

Optional
See Page 16

DIESEL
21 Lpm
170 Bar

Part No.	Engine	PSI	Kg	List
RT21170DYE	Yanmar L100N	2465	113	£3372.79
Dimensions 1100L x 620W x 720H (mm)				

- Interpump 47 series pump
- 1450 Rpm gearbox drive
- Electric start with battery
- Return to tank unloader valve
- External chemical injector
- Easystart valve
- Heavy-duty trolley - 13" wheels
- Heavy-duty single lance
- 10m high pressure hose
- 3m suction hose & filter



204-1005

Optional
See Page 16

THOR ultra heavy duty - gearbox drive

Vibroflex Coupling
See Page 16



Powered by
HATZ
DIESEL

DIESEL
15 Lpm
500 Bar

Part No.	Engine	PSI	Kg	List
TT15500DHE	Hatz 2G40	7250	200	£9678.00
Dimensions 1200L x 700W x 800H (mm)				

- Interpump 66HP series pump
- Gearbox drive & Vibroflex coupling
- Electric start with battery
- Flow sensitive unloader valve
- Ultra heavy-duty trolley with brake
- Heavy-duty single lance
- 10m high pressure hose
- 4m suction hose & filter

Vibroflex Coupling
See Page 16



Powered by
HATZ
DIESEL

DIESEL
18 Lpm
400 Bar

Part No.	Engine	PSI	Kg	List
TT18400DHE	Hatz 2G40	5800	200	£8417.28
Dimensions 1200L x 700W x 800H (mm)				

- Interpump 66HP series pump
- Gearbox drive & Vibroflex coupling
- Electric start with battery
- Flow sensitive unloader valve
- Ultra heavy-duty trolley with brake
- Heavy-duty single lance
- 10m high pressure hose
- 4m suction hose & filter

Vibroflex Coupling
See Page 16



Powered by
HATZ
DIESEL

DIESEL
29 Lpm
250 Bar

Part No.	Engine	PSI	Kg	List
TT29250DHE	Hatz 2G40	3625	200	£7959.44
Dimensions 1200L x 700W x 800H (mm)				

- Interpump 66 series pump
- Gearbox drive & Vibroflex coupling
- Twin outlet for dual operation
- Electric start with battery
- Flow sensitive unloader valve
- Ultra heavy-duty trolley with brake
- Heavy-duty single lance
- 10m high pressure hose
- 4m suction hose & filter

Vibroflex Coupling
See Page 16



Powered by
HATZ
DIESEL

DIESEL
41 Lpm
200 Bar

Part No.	Engine	PSI	Kg	List
TT41200DHE	Hatz 2G40	2900	200	£7959.44
Dimensions 1200L x 700W x 800H (mm)				

- Interpump 66 series pump
- Gearbox drive & Vibroflex coupling
- Twin outlet for dual operation
- Electric start with battery
- Flow sensitive unloader valve
- Ultra heavy-duty trolley with brake
- Heavy-duty single lance
- 10m high pressure hose
- 4m suction hose & filter

DPM Engine Pump Units

POWERED by HONDA



Petrol - 140 to 150 Bar - 12 to 14 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1001	140	12	Honda GX160	620 x 400 x 360	37	£846.39
E100-1002	150	14	Honda GX200	625 x 400 x 340	37	£884.40
Engine Speed 3400 Rpm, Pump Speed 1450 Rpm						

- Interpump 44 series pump & gearbox
- Honda petrol engine - oil alert & recoil start
- Baseplate mounted
- Unloader valve with return-to-tank bypass
- Inline suction filter
- Inlet 3/4" hose barb
- Outlet 3/8" BSP female thread
- Bypass 15mm hose barb
- 60°C max fluid temperature

POWERED by HONDA



Petrol - 200 to 250 Bar - 15 to 21 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1013	200	21	Honda GX390	720 x 460 x 500	61	£1492.91
E100-1014	250	15	Honda GX390	720 x 460 x 500	61	£1494.21
Engine Speed 3400 Rpm, Pump Speed 1450 Rpm						

- Interpump 59 series pump & gearbox
- Honda petrol engine - oil alert & recoil start
- Heavy duty skid with dampening rubbers
- Unloader valve with return-to-tank bypass
- Inline suction filter
- Inlet 3/4" hose barb
- Outlet 3/8" BSP female thread
- Bypass 15mm hose barb
- 60°C max fluid temperature

Petrol - 170 to 250 Bar - 15 to 21 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1010	170	21	Honda GX390	720 x 460 x 500	69	£1580.93
E100-1011	200	15	Honda GX340	720 x 460 x 500	64	£1549.91
E100-1012	250	15	Honda GX390	720 x 460 x 500	69	£1598.74
Engine Speed 3400 Rpm, Pump Speed 1450 Rpm						

- Interpump 47 series pump & gearbox
- Honda petrol engine - oil alert & recoil start
- Heavy duty skid with dampening rubbers
- Unloader valve with return-to-tank bypass
- Inline suction filter
- Easystart valve
- Inlet 3/4" hose barb
- Outlet 3/8" BSP female thread
- Bypass 15mm hose barb
- 60°C max fluid temperature



Petrol - 130 to 400 Bar - 15 to 41 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1024	130	41	B & S V-Twin	830 x 500 x 600	90	£3082.07
E100-1023	150	35	B & S V-Twin	830 x 500 x 600	90	£3082.07
E100-1020	200	30	B & S V-Twin	830 x 500 x 600	90	£3082.07
E100-1021	250	23	B & S V-Twin	830 x 500 x 600	90	£3130.86
E100-1022	400	15	B & S V-Twin	830 x 500 x 600	90	£3519.99
Engine Speed 3400 Rpm, Pump Speed 1450 Rpm						

- Interpump 66 series pump & gearbox
- Briggs & Stratton petrol engine - electric start
- Heavy duty skid with dampening rubbers
- Unloader valve with return-to-tank bypass
- Inline suction filter
- Safety valve
- Inlet 1" hose barb
- Outlet 1/2" BSP male thread
- Bypass 1/2" hose barb
- 60°C max fluid temperature



Diesel - 150 Bar - 15 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1031	150	15	Yanmar L70N	750 x 430 x 510	66	£2401.05
Engine Speed 3400 Rpm, Pump Speed 1450 Rpm						

- Interpump 59 series pump & gearbox
- Yanmar diesel engine - recoil start
- Heavy duty skid with dampening rubbers
- Unloader valve with return to tank bypass
- Inline suction filter
- Inlet 3/4" hose barb
- Outlet 3/8" BSP female thread
- Bypass 1/2" hose barb
- 60°C max fluid temperature



Diesel - 170 to 200 Bar - 15 to 21 Lpm

Part No.	Bar	Lpm	Engine	(LxWxH) mm	Kg	List
E100-1042	170	21	Yanmar L100N	720 x 440 x 553	84	£2990.97
E100-1043	200	15	Yanmar L100N	720 x 440 x 553	84	£2912.87
Engine Speed 3000 Rpm, Pump Speed 1450 Rpm						

- Interpump 47 series pump & gearbox
- Yanmar L100N, electric start
- Heavy duty skid with dampening rubbers
- Unloader valve with return-to-tank bypass
- Inline suction filter
- Easystart valve
- Inlet 3/4" hose barb
- Outlet 3/8" BSP female thread
- Bypass 1/2" hose barb
- 60°C max fluid temperature



Not supplied with lance and hoses. Electric start versions not supplied with battery and leads, available on request

Wheelbarrow Tank Mounted Pressure Washers - 8 Lpm 150 to 200 Bar

Part No.	Bar	Lpm	Engine	PSI	Kg	List
WBU8200P	200	8	Honda GP200	2900	59	£1415.46
WBU8150P	150	8	Honda GP160	2175	58	£1323.23
Dimensions 1520L x 680W x 740H (mm)						

- Interpump 51/63 series pumps
- 3400 Rpm direct drive pump
- 120L wheelbarrow tank
- Solid puncture proof tyres
- Integrated controlset & bypass
- Integrated chemical injector
- Powder-coated trolley
- Heavy-duty single lance
- 20m hose reel with 10m HP hose
- With inline & suction filters



Optional Extras



204-1007

Hose Reel Kit - for large two wheeled Evo trolley

Part No.	Capacity	List
204-1007	up to 40m of single wire 3/8" hose	£200.65

- Complete with mounting bracket, bolts, link hose & M22 fitting
- 250 Bar max pressure
- Supplied in kit form
- High pressure hose NOT included

Part No.	Description	List
204-1006	Hose reel bracket only	£53.76



204-1005

Hose Reel Kit - for heavy duty trolley

Part No.	Capacity	List
204-1005	up to 40m of single wire 3/8" hose	£267.59

- Complete with mounting bracket, bolts and link hose
- M22 & QR fitting options supplied
- 250 Bar max pressure
- Supplied in kit form
- High pressure hose NOT included

Part No.	Description	List
605-1040	Hose reel bracket only	£99.89



Hose Kits - for trolley mounted reels

Part No.	Description	Max Press	Length	List
204-1010	Twin Wire Hose Kit	400 Bar	40m	£144.43
204-1011	Twin Wire Hose Kit	400 Bar	30m	£113.41
204-1012	Single Wire Hose Kit	210 Bar	40m	£110.95

- Suitable for 204-1005 & 204-1007 kits
- M22 & QR fitting options supplied



Twin Outlet Kit

Part No.	List
204-1015	£144.23

- 220 Bar max pressure
- 1/2" BSPF inlet (incl. K1 valve adaptor)
- 2 x ARS220 QR coupler outlets
- 1 x outlet plug with sling
- Supplied in kit form

Vibroflex Coupling



A key feature of machines with our unique **Vibroflex torsional drive coupling**. Located in between the engine and gearbox it eliminates the highly damaging on-off stresses & snatch effect that can occur when a conventional hollow to solid shaft drive system is used.



Part of Phillips Animal Health Ltd, Achurch Road, Boston Road Ind. Est., Horncastle, Lincs. LN9 6JS.
Tel: 01507 523281 www.phillipspressurewashers.co.uk